2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

A system for accelerating delivery of digital objects of a global 1. communications network, the system comprising:

a central proxy server configured to transmit selected digital objects over a communication medium;

a local proxy server configured to receive the selected digital objects from the central proxy server over the communication medium and to provide the selected digital objects to a caching database in local communication with the local proxy server in order to make the selected digital objects available to a plurality of user stations communicating with the caching database; and

a priority determination module operating within the local proxy server, the priority determination module configured to use both local priority data and global priority data in making a localized priority determination regarding digital objects stored in the caching database.

- The system of claim 1, wherein the local proxy server is configured to utilize 2. the localized priority determination to determine which digital objects transmitted by the central proxy server to store within the caching database.
- The system of claim 1, wherein the local proxy server is configured to utilize 3. the localized priority determination in selecting digital objects to discard.
- The system of claim 1, further comprising a plurality of local proxy servers 4. each configured to receive the selected digital objects from the central proxy server over the communication medium, each of the plurality of local proxy servers provided with a priority determination module configured to make a localized priority determination particular to the nature of the user stations of the central proxy server for which the priority determination module is provided.

	^
	8
	9
1	10
1	l 1
	12
	13
	14
	15
	16
	17
	18
	19
	20
	21
	22
	23

25

26

1

2

3

4

5

6

7

- 5. The system of claim 1, wherein the localized priority determination utilizes local demand data received from the caching database in making the localized priority determination.
- 6. The system of claim 1, wherein the priority determination module considers both local demand data received from the caching database and global demand data received from the central proxy server in making the localized priority determination.
- 7. The system of claim 1, wherein the local proxy server is configured to receive local demand data from the caching database and transmit the local demand data to the central proxy server.
- 8. The system of claim 7, wherein the local demand data comprises user requests for a particular digital object.
- 9. The system of claim 8, wherein the user requests comprise requests for a digital object located within the caching database of the local proxy server.
- 10. The system of claim 1, wherein the central proxy server is configured to receive local demand data from a plurality of local proxy servers, generate global demand data using the local demand information, and transmit the global demand data to at least one of the local proxy servers.
- 11. The system of claim 10, wherein the global demand data corresponding to a selected digital object is transmitted together with the selected digital object to the local proxy server.

- 12. The system of claim 1, wherein the priority determination module is configured to account for types of subject matter that are of interest to users of the user stations communicating with the local proxy server in making the determination whether to discard the digital objects, and wherein the global demand data includes an indication of the type of subject matter of digital objects being transmitted from the central proxy server.
- 13. The system of claim 1, wherein the priority determination module is configured to employ a policy for assigning selected weights to particular types of digital objects in making the localized priority determination, the policy being unique to the local proxy server.
- 14. The system of claim 1, wherein the central proxy server is further configured to assign all selected digital objects a unique identifier code and to transmit a unique identifier code over the communication medium with each selected digital object.
- 15. The system of claim 14, wherein the central proxy server is further configured to generate a popularity rating for each transmitted digital object and to correlate the popularity rating with the corresponding unique identifier code for each transmitted digital object.
- 16. The system of claim 1, wherein the local proxy server is further configured to respond to a request from a communicating user station for a digital object available at a remote location on the global communication network by determining whether the information is present in the caching database and if the information is present, transmitting the requested information to the user station, and if the information is not present, transmitting a notification to the central proxy server that the information was requested by a user station.

Brian C. Kunzler, P.C.	TO WEST 100 SOUTH SUITE 425 SALT LAKE CITY, UTAH 84101
	72
	14
	The state that y the state that
	20 1000 20 1000 20 1000
	A ST

17.	The system of claim	1, wherein the	communication	medium comp	rises an IP
multicast syste	m.				

- 18. The system of claim 1, wherein the communication medium comprises multicast distribution of the digital objects through geo-synchronous satellite transmission.
 - 19. The system of claim 1, wherein the local proxy server further comprises:
 a cache database management module operating within the caching database;
 and

a local caching module operating within the local proxy server and in integral communication with the cache database management module, the local caching module configured to receive notice that the selected digital objects have been received from the communication medium and instruct the cache database management module to store at least a portion of the selected digital objects within the caching database.

- 20. The system of claim 19, further comprising an application program interface (API), the local caching module in communication with the cache database management module through the API.
- 21. A method for accelerating delivery of digital content of a global communications network, the method comprising:

transmitting selected digital objects over a communication medium;

receiving the selected digital objects over the communication medium into a caching database of a local proxy server for later retrieval and transmission to user stations; and

making a determination whether to discard digital objects from the caching database and considering both local demand data from the caching database and global demand data from the central proxy server in making the determination.

22. A method for accelerating delivery of digital content of a global communications network, the method comprising:

extracting selected digital objects from a global communications network; transmitting the selected digital objects over a communication medium;

receiving the selected digital objects over the communication medium into a caching database of a local proxy server for later retrieval and transmission to user stations;

integrally communicating with a cache database management module to store the selected digital objects in a caching database;

receiving a request from a user station for information available at a remote location on the global communications network;

making a determination whether to discard digital objects from the caching database and considering both local demand data received the caching database and global demand data from the central proxy server in making the determination; and

integrally communicating with the cache database management module to check for the information among the selected digital objects and making the information available for forwarding to the user station if present among the selected digital objects.

23. A method for operating redundant proxy servers, the method comprising: providing a plurality of redundant proxy servers, each redundant proxy server similarly configured;

providing a token to the redundant proxy servers;

	11		
CALTIAKE OTTO 11TAE 8A101	C111, 01711 071		
CALTIAKE	TANK TAKE		

selecting one of the redundant proxy servers as a master and a second as a backup;

establishing a failure of communication with the master by the backup, and in response:

incrementing the token within the backup, transmitting the backup's token to the client stations; the backup assuming operation as the master.

24. A method for accelerating delivery of digital content of a global communications network, the method comprising:

transmitting a digital object over a communication medium from a cental proxy server;

receiving the digital object over the communication medium into a local proxy server;

receiving notification from a local cache attendant to the local proxy server that the digital object is out of date;

transmitting notice to the central proxy server that the object is out of date; retransmitting a newer version of the object from the central proxy server to the local proxy server.

25. The method of claim 24, further comprising maintaining a transmission queue at the central proxy server with other digital objects to be transmitted to the local proxy server ordered in the queue, and the central proxy server receiving the transmitted notice that the object is out of date and in response, obtaining the newer version of the object and placing the newer version of the object in the queue with a higher priority than the object would have had absent the notice that the object is out of date.

24

25

26

1

2

3

4

5

6

7

26. A method for accelerating delivery of digital content of a global communications network, the method comprising:

transmitting a digital object over a communication medium from a central proxy server;

receiving the digital object over the communication medium into a caching database of a local proxy server for possible later retrieval and transmission to user stations; and

making a determination whether to retain the digital object within the caching database, making the determination comprising considering both quantitative and qualitative information about the object.

- 27. The method of claim 26, wherein the qualitative information comprises statistics about the nature of objects discarded from the caching database.
- 28. The method of claim 27, further comprising gathering the statistics about the nature of objects discarded from the caching database locally within the local proxy server.